

Precalculus
Lesson 8.3: Law of Cosines
Mrs. Snow, Instructor

Last section we looked at the law of sines. There are two other situations where the law of sines will not work; here we will use the **Law of Cosines**:

Case 3 – Two sides and the angle included between the two sides are known (SAS).
Case 4 – Three sides are known (SSS).

LAW OF COSINES

$$\begin{aligned}a^2 &= b^2 + c^2 - 2bc \cos A \\b^2 &= a^2 + c^2 - 2ac \cos B \\c^2 &= a^2 + b^2 - 2ab \cos C\end{aligned}$$

EXAMPLE: SSS

The sides of a triangle are: $a = 3$, $b = 4$, and $c = 6$. Find the angles of the triangle

SAS: Solve the triangle ABC, where $\angle C = 60^\circ$, $a = 2$, and $b = 3$

Navigation

A motorized sail boat leaves Naples, Florida bound for Key West, 150 miles away. Maintaining a constant speed of 15 mph, but encountering heavy crosswinds and strong currents, the crew finds after 4 hours that the sailboat is off course by 20° .

- How far is the sailboat from Key West at this time?
- Through what angle should the sailboat turn to correct its course?
- How much time has been added to the trip because of this? Assume a constant speed of 15 mph.

